


Date:	
Project Name:	
SKU #:	

ORBIT™ R ACOUSTIC
Suspended/Surface Architectural Round



Suspended Mount



Surface Mount

APPLICATIONS

Commercial, Retail, Office, Public Spaces

FEATURES

Construction

- Aluminum Body Housing
- Powder Coated Finish

Electrical & Technical

- Input Voltage: 120-277V
- Input Frequency: 50/60Hz
- Projected Life: L70 > 50,000 hrs
- PF: >0.9
- CRI: >90
- THD: <20%
- CCT: 3000K, 3500K, 4000K, 5000K
- Operating Temp.: -4°F ~ 104°F
- Damp Location Rated

Controls

- 0-10V Dimming

Lumen Output

- 15W: 1,050lm
- 25W: 1,750lm
- 36W: 2,520lm
- 50W: 3,500lm

Acoustic Panel

- Not for sound deadening
- Decorative Look
- Multiple Colors Available [See Page 3 Details]

Optical

- 160° Beam Angle

Installation/Mounting


- Suspended Mount
 - Available Lengths: 10' [Standard]
- Surface Mount

Warranty

- 5 Year Warranty
- See warranty documentation for more information.

FINISHES

Standard



Black White

Custom*



Tangerine Orange Ruby Red Emerald Green Lemon Yellow Royal Blue


NOTE: Any Custom Color Available*



ORDERING INFORMATION **EXAMPLE: ORB-R-14-15-40-U-D1-BK-CM10-AC-1141**


Series	Size	Wattage	CCT	Input Voltage	Control	Finish	Mounting Option	Acoustic Color Option
ORB-R	14 - 14"	15 - 15W	30 - 3000K	U - 120-277V	D1 - 0-10V Dimming	STANDARD BK - Black WH - White CUSTOM* CC - Custom RAL	CM10 - Suspended Mount SM - Surface Mount	See Page 3
	18 - 18"	25 - 25W	35 - 3500K					
	24 - 24"	36 - 36W	40 - 4000K					
	32 - 32"	50 - 50W	50 - 5000K					

DIMENSIONS



Suspended Mount

Wattage	Fixture		Canopy	
	Diameter (D)	Height (H)	Diameter (A)	Height (B)
15W	ø14.2"	3.5"	ø10.0"	2.0"
25W	ø17.7"	3.5"	ø10.0"	2.0"
36W	ø23.6"	3.5"	ø10.0"	2.0"
50W	ø31.5"	3.5"	ø10.0"	2.0"




Surface Mount

Wattage	Fixture	
	Diameter (D)	Height (H)
15W	ø14.2"	4.6"
25W	ø17.7"	4.6"
36W	ø23.6"	4.6"
50W	ø31.5"	4.6"


LUMEN OUTPUT

SKU	Wattage (W)	Delivered Lumens (lm)	Efficacy (lm/W)
ORB-R-14-15-40-U-D1-BK-CM10	15	1050	70
ORB-R-18-25-40-U-D1-BK-CM10	25	1750	70
ORB-R-24-36-40-U-D1-BK-CM10	36	2520	70
ORB-R-32-50-40-U-D1-BK-CM10	50	3500	70

ACOUSTIC COLOR



AC-1141



AC-2122



AC-3120



AC-4123



AC-5107



AC-6106



AC-7145




AC-8129



AC-9140



AC-19126




AC-11135



AC-12133




AC-13111



AC-14144



AC-21130




AC-16104



AC-17147



AC-18125




AC-22119




AC-20128



AC-25138



AC-31108



AC-24117




AC-42146




AC-43115



AC-28110




AC-33103



AC-34102



AC-35101



AC-36105



AC-38127



AC-39143



AC-40124