



## Warning!

- Disconnect power before installation.
- Fixtures must be installed by a qualified electrician in accordance with National Electric Code (NEC) and all applicable local building and electrical codes for your area.
- Avoid looking directly at the LED light source.
- Electrostatic sensitive devices (ESD). Handle with necessary precautions to avoid ESD.
- Do not use chemicals or abrasives to clean this product. Use a soft mat only. Avoid scratching the surface.


### 1 Suspension cable Drawing




### 2 Fix the three cables




### 3 Wire connection




### 4 Hanging cable lock's fixation



### 5 Sort out power cord



### 6 Finished.




Cable Diameter (inches)	5/64
Gripper Series	GR
Cable Material: Stainless Steel	SS
Max. Weight for Per Cable (lbs.)	65

**Warning!**


- Disconnect power before installation.
- Fixtures must be installed by a qualified electrician in accordance with National Electric Code (NEC) and all applicable local building and electrical codes for your area.
- Avoid looking directly at the LED light source.
- Electrostatic sensitive devices (ESD). Handle with necessary precautions to avoid ESD.
- Do not use chemicals or abrasives to clean this product. Use a soft mat only. Avoid scratching the surface.

1




Rotate counterclockwise to remove the surface mount plate

2



Remove the safety cable


3



Ceiling


Surface Mount Plate Dimensions:  
SOLA-18: Ø10.83"x0.05"  
SOLA-24~SOLA-48: Ø14.17x0.05"

4




Insert the reserved cable and follow the identification wiring

5




Install safety cable

6




Follow the line to identify the light fixture

7



Align three point loads


8




Clockwise rotation, complete

**Warning!**


- Disconnect power before installation.
- Fixtures must be installed by a qualified electrician in accordance with National Electric Code (NEC) and all applicable local building and electrical codes for your area.
- Avoid looking directly at the LED light source.
- Electrostatic sensitive devices (ESD). Handle with necessary precautions to avoid ESD.
- Do not use chemicals or abrasives to clean this product. Use a soft mat only. Avoid scratching the surface.




2




3




4



5



6



7

